

## Conveyor Belt Skirting Worksheet

Conveyor Number:

Belt Speed (m/s):

Trough Angle(°):

Belt Width 'A' (mm):

Free Board 'B' (mm) :

Chute Width 'C' (mm):

Chute to Belt Gap 'D' (mm) :

Chute Wall Thickness 'E' (mm) :

Available Chute Height  
for Skirting Clamps 'F' (mm) :

Skirting Length (mm) :

Existing Skirting:

Existing Skirting Clamping System Type?

Material Description:

Particle Size (mm) :

Particle Shape :

Moisture Contents:

Belt Specification (eg. Rubber PN150 etc.):

Belt Condition:


Belt Joining Type:      Hot/Cold Splice  
                                 Mechanical Fastener  
                                 Other

Are elevated temps involved?      Yes      No

If Yes, what temperature?

Corrosive Environment?      Yes      No

Current Problems:



**K-WS-Conveyor Belt Skirting; Rev. 0;**

Issue 201611

**Issue Date: 15/07/2013**

Page 2



[www.kinder.com.au](http://www.kinder.com.au)

**Kinder Australia Pty Ltd**

P | +61 3 8587 9111      F | +61 3 8587 9101      E | sales@kinder.com.au


26 Canterbury Rd, Braeside VIC 3195 (PO Box 1026, Braeside VIC 3195)

abn 28 006 489 238





# Conveyor Belt Skirting Worksheet


## KINDER CONVEYOR BELT SKIRTING PRODUCTS








**K-Containment Seal**



**K-Snap-Loc® Dust Seal**




**K-Fold-N-Seal**




**K-Lock® Wedge Clamps**

**K- Quick Clamps**



**K-Ultra Dual® Seal**



**K-Superskirt®**

## Conveyor Belt Skirting Worksheet

Name: \_\_\_\_\_

Company: \_\_\_\_\_

Site/Operation Location: \_\_\_\_\_

Contact Number: \_\_\_\_\_

Email: \_\_\_\_\_

Date: \_\_\_\_\_

Entered or Approved  
by Kinder Employee: \_\_\_\_\_

Kinder Document ID: \_\_\_\_\_

